



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/010,190	12/05/2001	Anthony John Goodacre	13768.221	7310

47973 7590 09/20/2005

WORKMAN NYDEGGER/MICROSOFT  
1000 EAGLE GATE TOWER  
60 EAST SOUTH TEMPLE  
SALT LAKE CITY, UT 84111

EXAMINER

PAULA, CESAR B

ART UNIT	PAPER NUMBER
----------	--------------

2178

DATE MAILED: 09/20/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

10/010,190

Applicant(s)

GOODACRE ET AL.

Examiner

CESAR B. PAULA

Art Unit

2178

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 23 June 2005.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-39 and 41-49 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-39 and 41-49 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

## Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

## Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_.
- ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: \_\_\_\_\_.

### **DETAILED ACTION**

1. This action is responsive to the RCE filed on 6/23/2005.

**This action is made Non-Final.**

2. In the amendment, claims 45-49 have been added. Claims 1-39, and 41-49 are pending in the case. Claims 1, 27, 41 and 43 are independent claims.

### ***Drawings***

3. The drawings filed on 12/5/2001 have been approved by the Examiner.

### ***Claim Rejections - 35 USC § 112***

4. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

5. Claim 47 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

6. Claim 47 recites the limitation "wherein notifying" in line 1. There is insufficient antecedent basis for this limitation in the claim. There is no "notifying" found in claim 1 to refer to.

***Claim Rejections - 35 USC § 103***

7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

8. Claims 1-14, 17-19, and 24-39, 41-44 remain, and claims 45-46, and 48 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pfister et al, hereinafter Pfister (USPub. # 2003/0046365 A1, 3/6/2003, filed on 9/4/2001), in view of Donohue et al, hereinafter Donohue (US Pat. # 5,987,480, 11/16/1999), and further in view of Lewis, R., Adobe PageMill 2.0 Handbook, hereinafter Pagemill, Hayden Books (12/1996, chapter 10).

Regarding independent claim 1, Pfister discloses the personalization or customization of static, and dynamic content on web pages to be presented on a WML device(s) (0051, 0054, 0058).

Moreover, Pfister teaches that templates are produced for presenting data to WML devices. The presented data takes the form of information, such as ads which are changed or rotated by a cache in accordance with a schedule (0051, 0059, 0061).

In addition, Pfister teaches using identifiers for identifying static content in the template, such as block 410 displayed in the top part of the web page in fig.4, used in loading, and presenting a web page from a cache (0051, lines 1-3, 0059, lines 14-0061, fig.4). In other words, the template identifiers, represent the static content 410 and its position/layout in the web page.

Moreover, Pfister fails to explicitly disclose: *creating a template file at a network computing device*. However, Donohue teaches the creation, and storage of dynamic templates on an Internet server-- *network computing device* (col.6, lines 17-32). It would have been obvious to a person of ordinary skill in the art at the time of the invention to combine Pfister, and Donohue, because Donohue discloses providing web pages, which are individualized to particular needs and interests of users over the Internet, in a way which is transparent to the users, and does not require the storage of large number of documents. This makes the web a more effective commercial tool (col. 3, lines 9-18, and col.4, lines 1-16).

Moreover, Pfister teaches using identifiers--*references*-- for identifying dynamic content, such as item 412 displayed underneath static content 410 of the web page in fig.4, used in loading, and presenting dynamic information, which is changed periodically, in the web page from a cache (0059, lines 14-0061, fig.4). In other words, the template dynamic identifiers, represent the dynamic content 412 and its position/layout in the web page-- *including the static content, the references to the dynamic content, as well as corresponding layout information in a template file*.

Moreover, Pfister teaches using identifiers for identifying dynamic content, such as item 412 displayed underneath static content 410 of the web page in fig.4, used in loading, and presenting dynamic information, which is changed periodically, in the web page from a cache (0059, lines 14-0061, fig.4). In other words, the template dynamic identifiers, represent the dynamic content 412 and its position/layout in the web page. Pfister fails to explicitly disclose: *generating computer-executable instructions for substituting at the mobile computing device for the one or more references to the dynamic content included in the template file*. However,

Art Unit: 2178

Pagemill teaches generating and storing CGI scripts -- *computer-executable instructions*— included in web pages, for performing certain functions with the with data, such as personalizing web pages using placeholders which tell the computer to execute a certain specified function(s) for placing data on the web page (page 258-260, 263). It would have been obvious to a person of ordinary skill in the art at the time of the invention to have combined Pfister, and Pagemill, because Pagemill teaches extending the interactivity of web pages by customizing the data (page 259). Thus providing an efficient, and quick way for users to retrieve personalized static and dynamic data.

Moreover, Pfister teaches using identifiers sending a web page, containing static and dynamic information, to a client from a server-- *transferring the template file* (0037-0038, fig.1). Pfister fails to explicitly disclose: *transferring the computer executable instructions to the mobile computing device*. However, Pagemill teaches CGI scripts -- *computer-executable instructions*— included in web pages, for performing certain functions with the with data, such as personalizing web pages using placeholders which tell the computer to execute a certain specified function(s) (page 258-260, 263). It would have been obvious to a person of ordinary skill in the art at the time of the invention to transfer to the client the web page including the CGI scripts by combining Pfister, and Pagemill, because Pagemill teaches extending the interactivity of web pages by customizing the data (page 259). Thus providing an efficient, and quick way for users to retrieve personalized static and dynamic data.

Furthermore, Pfister teaches using identifiers for sending a web page, containing static and dynamic information, to a client from a server-- *transferring the template file*. The client holds or stores the web page. Some of the Static, and dynamic content is downloaded when it

changes, such as performing major changes and overhaul of “Yahoo, Calendar,” etc., icons—*replacing existing layout information corresponding to the stored template file without replacing the stored template file* (0037-0038, 0040, 0058-0059, 0064, 0066, 0074, fig.1).

Regarding claim 2, which depends on claim 1, Pfister teaches using identifiers for identifying dynamic content, such as item 412 displayed underneath static content 410 of the web page in fig.4, used in loading, and presenting dynamic information, which is changed periodically, in the web page from a cache (0059, lines 14-0061, fig.4). In other words, the template dynamic identifiers, represent the dynamic content 412 and its position/layout in the web page. Pfister fails to explicitly disclose: *generating computer executable in the form of markup language instructions*. Pfister fails to explicitly disclose: *executing markup language instructions*. However, Pagemill teaches generating and storing CGI scripts -- *computer-executable instructions*—included in web pages, for performing certain functions with the with data, such as personalizing web pages using placeholders which tell the computer to execute a certain specified function(s) for placing data on the web page (page 258-260, 263). It would have been obvious to a person of ordinary skill in the art at the time of the invention to have combined Pfister, and Pagemill, because Pagemill teaches extending the interactivity of web pages by customizing the data (page 259). Thus providing an efficient, and quick way for users to retrieve personalized static and dynamic data.

Regarding claim 3, which depends on claim 2, Pfister teaches using HTML for presenting dynamic information, which is changed periodically, in the web page from a cache (0058-0059, fig.4). Pfister fails to explicitly disclose: *generating markup language instructions*. However,

Art Unit: 2178

Pagemill teaches generating and storing CGI scripts -- *computer-executable instructions*— included in web pages, for performing certain functions with the with data, such as personalizing web pages using placeholders which tell the computer to execute a certain specified function(s) for placing data on the web page (page 258-260, 263). It would have been obvious to a person of ordinary skill in the art at the time of the invention to have combined Pfister, and Pagemill, because Pagemill teaches extending the interactivity of web pages by customizing the data (page 259). Thus providing an efficient, and quick way for users to retrieve personalized static and dynamic data.

Regarding claim 4, which depends on claim 1, Pfister teaches using identifiers for identifying static content, such as block 410 displayed in the top part of the web page in fig.4, used in loading, and presenting a web page from a cache (0051, lines 1-3, 0059, lines 14-0061, fig.4). In other words, the template identifiers, represent the static content 410 and its position/layout in the web page.

Regarding claim 5, which depends on claim 1, Pfister teaches producing templates using identifiers—*customized extensions referencing dynamic content*-- for identifying dynamic content, such as item 412 displayed underneath static content 410 of the web page in fig.4, used in loading, and presenting dynamic information, which is changed periodically, in the web page from a cache (0059, lines 14-0061, fig.4).

Art Unit: 2178

Regarding claim 6, which depends on claim 5, Pfister teaches producing markup language templates using identifiers—*customized extensions, to a markup language, referencing dynamic content*-- for identifying dynamic content, such as item 412 displayed underneath static content 410 of the web page in fig.4, used in loading, and presenting dynamic information, which is changed periodically, in the web page from a cache (0058, 0059, lines 14-0061, fig.4).

Regarding claim 7, which depends on claim 6, Pfister teaches producing markup language templates—*macro*-- using identifiers—*customized extensions, to a markup language, referencing dynamic content*-- for identifying dynamic content, such as item 412 displayed underneath static content 410 of the web page in fig.4, used in loading, and presenting dynamic information, which is changed periodically, in the web page from a cache (0051, 0058, 0059, lines 14-0061, fig.4).

Regarding claim 8, which depends on claim 5, Pfister teaches producing HTML templates—*macro*-- using identifiers—*customized extensions, to a markup language, referencing dynamic content*-- for identifying dynamic content, such as item 412 displayed underneath static content 410 of the web page in fig.4, used in loading, and presenting dynamic information, which is changed periodically, in the web page from a cache (0051, 0058, 0059, lines 14-0061, fig.4).

Regarding claim 9, which depends on claim 8, Pfister teaches producing HTML templates—*macro*-- using identifiers—*customized extensions, to a markup language,*

*referencing dynamic content*-- for identifying dynamic content, such as item 412 displayed underneath static content 410 of the web page in fig.4, used in loading, and presenting or displaying dynamic information, which is changed periodically, in the web page from a cache (0051, 0058, 0059, lines 14-0061, fig.4).

Regarding claim 10, which depends on claim 5, Pfister teaches producing HTML templates—*macro*-- using identifiers for identifying dynamic content—*without user intervention*, such as item 412 displayed underneath static content 410 of the web page in fig.4, used in loading, and presenting dynamic information (at a device such as PDA), which is changed periodically, in the web page from a cache (0040, 0051, 0058, 0059, lines 14-0061, fig.4).

Regarding claim 11, which depends on claim 5, Pfister teaches producing HTML templates using identifiers for identifying dynamic content—, such as item 412 displayed underneath static content 410 of the web page in fig.4, used in loading, and presenting dynamic information in a Javascript enabled browser, which is changed periodically, in the web page from a cache (0037, 0051, 0058, 0059, lines 14-0061, fig.4). Pfister fails to explicitly disclose: *customized extensions to a script language*. However, it would have been obvious to a person of ordinary skill in the art at the time of the invention to have generated Javascript references or extensions to dynamic content, because Pfister discloses above the implementation of Javascript (0059, fig.4--410). Thus providing a fuller, and more interactive navigation experience using the interactive powers of Javascript.

Regarding claim 12, which depends on claim 11, Pfister teaches producing HTML templates using identifiers for identifying dynamic content—, such as item 412 displayed underneath static content 410 of the web page in fig.4, used in loading, and presenting dynamic information in a Javascript enabled browser, which is changed periodically, in the web page from a cache (0037, 0051, 0058, 0059, lines 14-0061, fig.4). Pfister fails to explicitly disclose: *customized extensions to Javascript*. However, it would have been obvious to a person of ordinary skill in the art at the time of the invention to have generated Javascript references or extensions to dynamic content, because Pfister discloses above the implementation of Javascript (0059, fig.4--410). Thus providing a fuller, and more interactive navigation experience using the interactive powers of Javascript.

Regarding claim 13, which depends on claim 1, Pfister teaches using identifiers for identifying dynamic content, such as item 412 displayed underneath static content 410 of the web page in fig.4, used in loading, and presenting dynamic information, which is changed periodically, in the web page from a cache (0059, lines 14-0061, fig.4). In other words, the template dynamic identifiers, represent the dynamic content 412 and its position/layout in the web page.

Regarding claim 14, which depends on claim 1, Pfister teaches using identifiers for identifying dynamic content, such as item 412 displayed underneath static content 410 of the web page in fig.4, used in loading, and presenting dynamic information, which is changed

Art Unit: 2178

periodically, in the web page from a cache (0059, lines 14-0061, fig.4). In other words, the template dynamic identifiers, represent the dynamic content 412 and its position/layout to be displayed at a location in the web page.

Regarding claim 17, which depends on claim 1, Pfister teaches using identifiers for identifying dynamic content, such as item 412 displayed underneath static content 410 of the web page in fig.4, used in loading, and presenting dynamic information, which is changed periodically, in the web page from a cache (0040, 0059, lines 14-0061, fig.4). In other words, the template dynamic identifiers, represent the dynamic content 412 and its position/layout in the web page. Pfister fails to explicitly disclose: *generating computer-executable instructions in a markup language for substituting at the mobile computing device the dynamic content for the one or more references to the dynamic content*. However, Pagemill teaches generating and storing CGI scripts -- *computer-executable instructions*—included in web pages, for performing certain functions with the with data, such as personalizing web pages using placeholders which tell the computer to execute a certain specified function(s) for placing data on the web page (page 258-260, 263). It would have been obvious to a person of ordinary skill in the art at the time of the invention to have combined Pfister, and Pagemill, because Pagemill teaches extending the interactivity of web pages by customizing the data (page 259). Thus providing an efficient, and quick way for users to retrieve personalized static and dynamic data.

Regarding claim 18, which depends on claim 17, Pfister teaches using identifiers for identifying dynamic content, such as item 412 displayed underneath static content 410 of the

Art Unit: 2178

web page in fig.4, used in loading, and presenting dynamic information, which is changed periodically, in the web page from a cache (0040, 0059, lines 14-0061, fig.4). In other words, the template dynamic identifiers, represent the dynamic content 412 and its position/layout in the web page. Pfister fails to explicitly disclose: *generating computer-executable instructions in HTML*. However, Pagemill teaches generating and storing CGI scripts -- *computer-executable instructions*—included in web pages, for performing certain functions with the with data, such as personalizing web pages using placeholders which tell the computer to execute a certain specified function(s) for placing data on the web page (page 258-260, 263). It would have been obvious to a person of ordinary skill in the art at the time of the invention to have combined Pfister, and Pagemill, because Pagemill teaches extending the interactivity of web pages by customizing the data (page 259). Thus providing an efficient, and quick way for users to retrieve personalized static and dynamic data.

Regarding claim 19, which depends on claim 18, Pfister teaches producing HTML templates using identifiers for identifying dynamic content, such as item 412 displayed underneath static content 410 of the web page in fig.4, used in loading, and presenting dynamic information, which is changed periodically, in the web page from a cache (0051, 0058, 0059, lines 14-0061, fig.4). Pfister fails to explicitly disclose: *generating computer-executable instructions that include customized macro extensions to HTML*. However, Pagemill teaches generating and storing CGI scripts -- *computer-executable instructions*—included in web pages, for performing certain functions with the with data, such as personalizing HTML web pages using placeholders which tell the computer to execute a certain specified function(s) for placing

Art Unit: 2178

data on the web page (page 258-260, 263). It would have been obvious to a person of ordinary skill in the art at the time of the invention to have combined Pfister, and Pagemill, because Pagemill teaches extending the interactivity of web pages by customizing the data (page 259). Thus providing an efficient, and quick way for users to retrieve personalized static and dynamic data.

Regarding claim 24, which depends on claim 1, Pfister teaches using identifiers sending a web page, containing static and dynamic information, to a client from a server-- *transferring the template file* (0037-0038, fig.1). Pfister fails to explicitly disclose: *transferring the computer executable instructions that include HTML content*. However, Pagemill teaches CGI scripts -- *computer-executable instructions*—included in web pages, for performing certain functions with the with data, such as personalizing web pages using placeholders which tell the computer to execute a certain specified function(s) (page 258-260, 263). It would have been obvious to a person of ordinary skill in the art at the time of the invention to transfer to the client the web page including the CGI scripts by combining Pfister, and Pagemill, because Pagemill teaches extending the interactivity of web pages by customizing the data (page 259). Thus providing an efficient, and quick way for users to retrieve personalized static and dynamic data.

Regarding claim 25, which depends on claim 1, Pfister teaches using HTTP for downloading the web page (0047, 0049-0050, fig.4).

Regarding claim 26, which depends on claim 25, Pfister teaches using HTTP for downloading the web page (0047, 0049-0050, fig.4).

Regarding independent claim 27, Pfister teaches that templates are produced for presenting data to WML devices. The presented data takes the form of information such as ads which are changed or rotated by a cache in accordance with a schedule (0059, 0061).

Moreover, Pfister teaches a client for receiving a web page, containing static and dynamic information having identifiers, as sent from a server-- *receiving from a network computing device a template file* (0037-0038, 0059, lines 14-0061, fig.4, fig.1). In other words, the template dynamic identifiers, represent the dynamic content 412 and its position/layout in the web page--*includes static content, references to the dynamic content, as well as corresponding layout information in a template file.*

Further, Pfister teaches using identifiers for identifying dynamic content, such as item 412 displayed underneath static content 410 of the web page in fig.4, used in loading, and presenting dynamic information, which is changed periodically by a cache—*receiving notification that dynamic content referenced by at least one of the references has changed to a current state and executing computer-executable instructions to thereby facilitate the inclusion of the current state of the dynamic content of the dynamic content in an appropriate location*, in the web page from a cache (0059, lines 14-0061, fig.4). In other words, the template dynamic identifiers, represent the dynamic content 412 and its position/layout in the web page.

Further, Pfister fails to explicitly disclose: *receiving from the network computing device computer- executable instructions for substituting the dynamic content for the one or more references to the dynamic content included in the template file, and executing computer-executable instructions, at the mobile computing device, to substitute the changed dynamic*

Art Unit: 2178

*content for the at least one of the one or more references to the dynamic content, based on the notification that the dynamic content referenced by at least one or more references to the dynamic content has changed.* However, Pagemill teaches generating and storing CGI scripts -- *computer-executable instructions*—included in web pages, for performing or executing certain functions with the with data, such as personalizing web pages using placeholders which tell the computer to execute a certain specified function(s) for placing data on the web page (page 258-260, 263). It would have been obvious to a person of ordinary skill in the art at the time of the invention to have combined Pfister, and Pagemill to receive the CGI scripts within the received web page to substitute changed dynamic information, because Pagemill teaches extending the interactivity of web pages by customizing the data (page 259). Thus providing an efficient, and quick way for users to retrieve personalized static and dynamic data.

Furthermore, Pfister teaches using identifiers sending a web page, containing static and dynamic information, to a client from a server-- *transferring the template file*. The client holds or stores the web page. Some of the Static, and dynamic content is downloaded when it changes, such as performing major changes and overhaul of “Yahoo, Calendar,” etc., icons—*replacing existing layout information corresponding to the stored template file without replacing the stored template file* (0037-0038, 0040, 0058-0059, 0064, 0066, 0074, fig.1).

Regarding claim 28, which depends on claim 25, Pfister teaches using identifiers for identifying dynamic content, such as item 412 displayed underneath static content 410 of the web page in fig.4, used in loading, and presenting dynamic information in a PDA, which is changed periodically, in the web page from a cache-- *storing the template file that includes static*

Art Unit: 2178

*content, as well as corresponding layout information in system memory associated with the mobile device* (0040, 0059, lines 14-0061, fig.4). In other words, the template dynamic identifiers, represent the dynamic content 412 and its position/layout in the web page.

Regarding claim 29, which depends on claim 27, Pfister teaches using identifiers for identifying dynamic content, such as item 412 displayed underneath static content 410 of the web page in fig.4, used in loading, and presenting dynamic information using WAP, which is rotated or toggled periodically by a cache—*notification that was pushed to the mobile device* (0048, 0059, lines 14-0061, fig.4).

Regarding claim 30, which depends on claim 29, Pfister teaches using identifiers for identifying dynamic content, such as item 412 displayed underneath static content 410 of the web page in fig.4, used in loading, and presenting dynamic information using WAP, which is rotated or toggled periodically by a cache— (0048, 0059, lines 14-0061, fig.4).

Regarding claim 31, which depends on claim 30, Pfister teaches using identifiers for identifying dynamic content, such as item 412 displayed underneath static content 410 of the web page in fig.4, used in loading, and presenting dynamic information—*service indication element--* using WAP, which is rotated or toggled periodically by a cache (0048, 0059, lines 14-0061, fig.4).

Art Unit: 2178

Regarding claim 32, which depends on claim 31, Pfister teaches using identifiers—*URI--* for identifying dynamic content, such as item 412 displayed underneath static content 410 of the web page in fig.4, used in loading, and presenting dynamic information—*service indication element--* using WAP, which is rotated or toggled periodically by a cache (0048, 0059, lines 14-0061, fig.4).

Regarding claim 33, which depends on claim 31, Pfister teaches using identifiers in a template for identifying dynamic content, such as item 412 displayed underneath static content 410 of the web page in fig.4, used in loading, and presenting dynamic information—*service indication element--* using WAP, which is rotated or toggled periodically by a cache (0048, 0059, lines 14-0061, fig.4).

Regarding claim 34, which depends on claim 31, Pfister teaches using identifiers for identifying dynamic content, such as item 412 displayed underneath static content 410 of the web page in fig.4, used in loading, and presenting dynamic information—*service indication element--* using WAP, which is rotated or toggled periodically by a cache—*dynamic content has changed* (0048, 0059, lines 14-0061, fig.4).

Regarding claim 35, which depends on claim 27, Pfister teaches using identifiers for identifying dynamic content, such as item 412 displayed underneath static content 410 of the web page in fig.4, used in loading, and presenting dynamic information—*service indication*

*element-- using WAP, which is rotated or toggled periodically by a cache—dynamic content has changed* (0048, 0059, lines 14-0061, fig.4).

Regarding claim 36, which depends on claim 27, Pfister teaches using identifiers for identifying dynamic content, such as item 412 displayed underneath static content 410 of the web page in fig.4, used in loading, and presenting dynamic information—*service indication element-- using WAP, which is rotated or toggled periodically by a cache—dynamic content has changed* (0048, 0059, lines 14-0061, fig.4).

Regarding claim 37, which depends on claim 27, Pfister teaches using identifiers for identifying dynamic content, such as item 412 displayed underneath static content 410 of the web page in fig.4, used in loading, and presenting dynamic information—*service indication element-- using WAP, which is rotated or toggled periodically by a cache—storing notification* (0048, 0059, lines 14-0061, fig.4).

Regarding claim 38, which depends on claim 27, Pfister teaches using identifiers for identifying dynamic content, such as item 412 displayed underneath static content 410 of the HTMLweb page in fig.4, used in loading, and presenting dynamic information, which is rotated or toggled periodically by a cache (0058, 0059, lines 14-0061, fig.4). Pfister fails to explicitly disclose: *executing markup language instructions*. However, Pagemill teaches generating and storing CGI scripts -- *computer-executable instructions*—included in web pages, for performing certain functions with the with data, such as personalizing web pages using placeholders which

Art Unit: 2178

tell the computer to execute a certain specified function(s) for placing data on the web page (page 258-260, 263). It would have been obvious to a person of ordinary skill in the art at the time of the invention to have combined Pfister, and Pagemill, because Pagemill teaches extending the interactivity of web pages by customizing the data (page 259). Thus providing an efficient, and quick way for users to retrieve personalized static and dynamic data.

Regarding claim 39, which depends on claim 38, Pfister teaches using identifiers for identifying dynamic content, such as item 412 displayed underneath static content 410 of the HTMLweb page in fig.4, used in loading, and presenting dynamic information-, which is rotated or toggled periodically by a cache (0058, 0059, lines 14-0061, fig.4). Pfister fails to explicitly disclose: *executing HTML instructions*. However, Pagemill teaches generating and storing CGI scripts included in web pages-- *HTML instructions*—, for performing certain functions with the with data, such as personalizing web pages using placeholders which tell the computer to execute a certain specified function(s) for placing data on the web page (page 258-260, 263). It would have been obvious to a person of ordinary skill in the art at the time of the invention to have combined Pfister, and Pagemill, because Pagemill teaches extending the interactivity of web pages by customizing the data (page 259). Thus providing an efficient, and quick way for users to retrieve personalized static and dynamic data.

Claims 41-44 are directed towards a computer program product on a computer-readable medium for storing the steps found in claims 1, 1, 4 and 4 respectively, and therefore are similarly rejected.

Regarding claim 45, which depends on claim 1, Pfister teaches the downloading, and updating of dynamic information, and identifiers onto the web page *—replacing one or more references provided in the template file* (0058, 0066).

Regarding claim 46, which depends on claim 1, Pfister teaches that some of the Static, and dynamic content is downloaded when it changes, such as performing major changes and overhaul of “Yahoo, Calendar,” etc., icons—*notifying the mobile computing device of changes to the layout information and other dynamic content* (0037-0038, 0040, 0058-0059, 0064, 0066, 0074, fig.1).

Claim 48 is directed towards a method for implementing the steps found in claim 45, therefore is similarly rejected.

9. Claim 15 remains rejected under 35 U.S.C. 103(a) as being unpatentable over Pfister, in view of Donohue, further in view of Pagemill, and further in view of Twaddle (US Pub. # 2004/0015476 A1 1/22/2004, PCT filed on 8/31/2001).

Regarding claim 15, which depends on claim 1, Pfister teaches using identifiers for identifying dynamic content, such as item 412 displayed underneath static content 410 of the web page in fig.4, used in loading, and presenting dynamic information, which is changed periodically, in the web page from a cache (0059, lines 14-0061, fig.4). In other words, the

Art Unit: 2178

template dynamic identifiers, represent the dynamic content 412 and its position/layout in the web page. Pfister fails to explicitly disclose: *including the static content, the references to the dynamic content, as well as corresponding layout information in a template file that is capable of including content of a plurality of different formats*. However, Twaddle teaches mail merging static, and dynamic content into a template file, which has a master layout for including HTML, WML, and XML, the elements to be included in the web page (0049, 0061, appendix A). It would have been obvious to a person of ordinary skill in the art at the time of the invention to have combined Pfister, and Twaddle, because Twaddle teaches the generation of dynamic data as to accommodate large number of users (0035). Thus providing an efficient, and quick way for users to retrieve static and dynamic data.

10. Claims 16, and 20-23 remain rejected under 35 U.S.C. 103(a) as being unpatentable over Pfister, in view of Donohue, further in view of Pagemill, and further in view of Orhormuru (US Pub. # 2003/0061106 A1 3/27/2003, filed on 9/21/2001).

Regarding claim 16, which depends on claim 15, Pfister teaches using identifiers for identifying dynamic content, such as item 412 displayed underneath static content 410 of the WML web page in fig.4, used in loading, and presenting dynamic information, which is changed periodically, in the web page from a cache (0048, 0059, lines 14-0061, 0040, fig.4). Pfister fails to explicitly disclose: *a MIME file*. However, Orhormuru teaches using a MIME type for WML for viewing and accessing web pages using mobile devices (0077). It would have been obvious to a person of ordinary skill in the art at the time of the invention to have combined Pfister,

Art Unit: 2178

Pagemill, and Orhormuru, because Pfister teaches above the viewing of web pages using mobile devices, which provides a flexible method of viewing web pages using portable and mobile devices, which can be easily transported.

Regarding claim 20, which depends on claim 1, Pfister teaches using identifiers for identifying dynamic content, such as item 412 displayed underneath static content 410 of the WML web page in fig.4, used in loading, and presenting dynamic information, which is changed periodically, in the web page from a cache (0048, 0059, lines 14-0061, 0040, fig.4). Pfister fails to explicitly disclose: *transferring the template file in a MIME format*. However, Orhormuru teaches using a MIME type for WML for viewing and accessing web pages using mobile devices (0077). It would have been obvious to a person of ordinary skill in the art at the time of the invention to have combined Pfister, Pagemill, and Orhormuru, because Pfister teaches above the viewing of web pages using mobile devices, which provides a flexible method of viewing web pages using portable and mobile devices, which can be easily transported.

Regarding claim 21, which depends on claim 20, Pfister teaches using identifiers for identifying dynamic content, such as item 412 displayed underneath static content 410 of the WAP web page in fig.4, used in loading, and presenting dynamic information, which is changed periodically, in the web page from a cache (0048, 0059, lines 14-0061, 0040, fig.4). Pfister fails to explicitly disclose: *transferring the template file in a MIME format*. However, Orhormuru teaches using a MIME type for WML for viewing and accessing web pages using mobile devices (0077). It would have been obvious to a person of ordinary skill in the art at the time of the

invention to have combined Pfister, Pagemill, and Orhormuru, because Pfister teaches above the viewing of web pages using mobile devices, which provides a flexible method of viewing web pages using portable and mobile devices, which can be easily transported.

Regarding claim 22, which depends on claim 21, Pfister teaches using identifiers-- *associated with a specific application id--* for identifying dynamic content, such as item 412 displayed underneath static content 410 of the WML web page in fig.4, used in loading, and presenting dynamic information, which is changed periodically, in the web page from a cache (0048, 0059, lines 14-0061, 0040, fig.4). Pfister fails to explicitly disclose: *MIME format*. However, Orhormuru teaches using a MIME type for WML for viewing and accessing web pages using mobile devices (0077). It would have been obvious to a person of ordinary skill in the art at the time of the invention to have combined Pfister, Pagemill, and Orhormuru, because Pfister teaches above the viewing of web pages using mobile devices, which provides a flexible method of viewing web pages using portable and mobile devices, which can be easily transported.

Regarding claim 23, which depends on claim 22, Pfister teaches using identifiers for identifying dynamic content, such as item 412 displayed underneath static content 410 of the WML web page in fig.4, used in loading, and presenting dynamic information, which is changed periodically, in the web page from a cache (0048, 0059, lines 14-0061, 0040, fig.4). Pfister fails to explicitly disclose: *content encoded in a MIME format associated with a specific application id that identifies the template file as including content encoded in a MIME format--*. However,

Art Unit: 2178

Orhormuru teaches using a MIME type for WML for viewing and accessing web pages using mobile devices (0077). It would have been obvious to a person of ordinary skill in the art at the time of the invention to have combined Pfister, Pagemill, and Orhormuru and provide MIME encoded templates, because Pfister teaches above the viewing of web pages using mobile devices, which provides a flexible method of viewing dynamic web pages using portable and mobile devices, which can be easily transported.

11. Claims 47, and 49 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pfister, in view of Donohue, further in view of Pagemill, and further in view of Omoigui (US Pub. # 2003/0126136 A1 7/3/2003, provisional application filed on 6/22/2001).

Regarding claim 47, which depends on claim 1, Pfister teaches the downloading, and updating of dynamic information, and identifiers onto the web page *—replacing one or more references provided in the template file* (0058, 0066). Pfister fails to explicitly disclose: *notifying includes an audio notification--*. However, Omoigui teaches using audio alerts to notify a user of new information in a minimized window (0822). It would have been obvious to a person of ordinary skill in the art at the time of the invention to have combined Pfister, Donohue, Pagemill, and Omoigui, because Omoigui teaches above notifying users of new information, which would provide the benefit of quickly informing a user of information which is of high interest.

Art Unit: 2178

Claim 49 is directed towards a method for implementing the steps found in claim 47, therefore is similarly rejected.

### ***Response to Arguments***

12. Applicant's arguments filed 6/23/05 have been fully considered but they are not persuasive. Regarding claims 1, 27, 41, and 43, Applicants submit that Pfister, and Twaddle fail to explicitly teach the newly amended claims (pages 17-19). The Applicants are directed towards the new grounds of rejection above in light of the newly introduced amendment.

### ***Conclusion***

I. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Cesar B. Paula whose telephone number is (571) 272-4128. The examiner can normally be reached on Monday through Friday from 8:00 a.m. to 4:00 p.m. (EST).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Hong, can be reached on (571) 272-4124. However, in such a case, please allow at least one business day.

Information regarding the status of an application may be obtained from the Patent Application Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR


Art Unit: 2178

system, go to <http://portal.uspto.gov/external/portal/pair>. Should you have any questions about access to the Private PAIR system, please contact the Electronic Business Center (EBC) at 866 217-9197 (toll-free).

Any response to this Action should be mailed to:  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Or faxed to:

- (571)-273-8300 (for all Formal communications intended for entry)

  
CESAR PAULA  
PRIMARY EXAMINER

9/16/05